


# Tunnel Pro 300W


ROADWAY TUNNEL AND UNDERPASS LIGHTING FIXTURE

## Dimensional Details of the Luminaire



### DIMENSIONS


|                |                 |
|----------------|-----------------|
| <b>LENGTH</b>  | 760 mm          |
| <b>WIDTH 1</b> | 142 mm          |
| <b>WIDTH 2</b> | 205 mm          |
| <b>HEIGHT</b>  | 425 mm          |
| <b>WEIGHT</b>  | <b>19.43 Kg</b> |



Left



Bottom




Mounting Bracket


# Tunnel Pro 300W

ROADWAY TUNNEL AND UNDERPASS LIGHTING FIXTURE


## Installation Procedure



Position the bracket on the designated mounting surface and mark the hole positions using the bracket. Drill the holes accurately to ensure secure attachment.



To adjust the luminaire angle, loosen the locking bolts on both sides of the bracket, tilt the fixture up to 0°-90°-0° vertically.






Once the desired angle is set, tighten the locking bolts on both the ends securely to ensure the fixture is firmly fixed.

# Tunnel Pro 300W


ROADWAY TUNNEL AND UNDERPASS LIGHTING FIXTURE



## Safety & Maintenance



### Dimmable



- Always ensure the power is switched off and allow the LED fixture to cool completely before carrying out any maintenance, cleaning, or adjustments.
- This product must be installed and serviced by a properly qualified and licensed electrician.
- Ensure the product is properly installed and confirmed safe for operation before reconnecting the electrical supply.
- Always use clean gloves when handling the fixture to prevent fingerprints, stains, or surface contamination.
- Use microfiber cloths to remove dust.
- Use a cleaner with antistatic properties for fingerprints and spots.
- Prevent flammable materials from accumulating on the luminaire housing.
- Use IP65-rated connectors for safety installations.
- Recommended ambient temperature 60C
- Empfohlene Raumtemperatur 60C
- Temperatura ambiente consigliata 60C
- Temperatura ambiente recomandada 60c
- Temperature ambiante recomandee 60c



Empfohlene Raumtemperatur 60C  
Recommended ambient temperature 60C  
Temperatura ambiente consigliata 60C  
Temperatura ambiente recomandada 60C  
Température ambiante recomandée 60C



Nicht im Restmüll entsorgen,  
Do not dispose with normal waste,  
Non smaltire insieme ai rifiuti normali, No deseches  
con la basura normal,  
Ne jetez pas avec les déchets résiduels,

## IP66



Don't touch the LED !