




FLIP 1



 +971 65 260 706  sales-me@hansagreen.com

 Hamriyah Free Zone Sharjah, UAE.

FLIP 1 40W

LED TRACK MOUNTED LIGHT

- ❑ High Luminous efficacy - More light output
- ❑ Sleek Linear Design – Compact and modern appearance
- ❑ Long life: 50,000+ hrs - Minimal maintenance
- ❑ Easy Installation – Quick, tool-free mounting.
- ❑ Flexible Aiming – Adjustable for precise light direction




FLP1-TK-40

Technical		IK02	IP20	UGR <21	CRI >80
Light Source			SMD		-
Luminous Efficacy (subject to a tolerance of ±10%)			100		Lumen / Watt
Correlated Colour Temperature (CCT)			3000/4000/6500		Kelvin
Lifetime			50,000		Hours
McAdam Binning			3		Step
Housing					
Body			Aluminium Die Cast		
Lens / Diffuser			PC Glass		
Reflector			-		
Mounting			Track mounting		
Thermal					
Ambient Temperature (Ta)			-20 to 45		°Celsius
Storage Temperature (Ts)			-20 to 50		°Celsius
Humidity			10 to 90		RH(%)

ELECTRICAL CHARACTERISTICS

Control Option	ON/OFF	PHASE DIMMING	1-10V	DALI
Rated Power	40		Watts	
Input Current (@ 230V)	0.17		Amps	
Input Voltage	220 to 240		VAC	
Frequency	50 to 60		Hertz	
Output Current	1050		mA	
Output Voltage	24 to 42		VDC	
Power Factor	>0.85			

DIMENSIONAL DETAILS



All measurements are in mm

D	W	H	Cutout	Weight
600	90	68	-	1.22 kg

PHOTOMETRIC DETAILS

Beam Angle	88.5°
------------	-------

