




## PATIO CARV



 +971 65 260 706     [sales-me@hansagreen.com](mailto:sales-me@hansagreen.com)

 Hamriyah Free Zone Sharjah, UAE.

# PATIO CARV 1x15W

## LED WALL LIGHT



- High Luminous Efficacy - More light output
- Long Life: 50,000 hrs - Minimal maintenance
- Consistent Performance & Quality - Delivers stable brightness
- Upward Illumination – Provides ambient wall lighting.
- IP65 Rated – Protection against dust and water.


### CE-WDL-1\*15

Technical		IK08	IP65	UGR <19	CRI >80
Light Source			COB		-
Luminous Efficacy (subject to a tolerance of ±10%)			100		Lumen / Watt
Correlated Colour Temperature (CCT)			3000/4000/6500		Kelvin
Lifetime			50,000		Hours
McAdam Binning			3		Step
Housing					
Body			Aluminium Die Cast		
Lens / Diffuser			Clear Glass		
Reflector			Chrome Reflector		
Mounting			Wall mounting		
Thermal					
Ambient Temperature (Ta)			-20 to 50		°Celsius
Storage Temperature (Ts)			-20 to 50		°Celsius
Humidity			10 to 95		RH(%)

## ELECTRICAL CHARACTERISTICS

Control Option	ON/OFF	PHASE DIMMING	1-10V	DALI
Rated Power	15		Watts	
Input Current (@ 230V)	0.06		Amps	
Input Voltage	220 to 240		VAC	
Frequency	50 to 60		Hertz	
Output Current	0.4		Amps	
Output Voltage	24 to 42		VDC	
Power Factor	≥0.95			

## DIMENSIONAL DETAILS



All measurements are in mm

D	W	H	Cutout	Weight
90∅	155	160	-	0.8 kg

## PHOTOMETRIC DETAILS

Beam Angle	22.8°
------------	-------

